

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/693,481	10/20/2000	Joel E. Short	42253/	8652
826 7590 10/09/2007 ALSTON & BIRD LLP BANK OF AMERICA PLAZA			EXAMINER	
			WANG, LIANG CHE A	
101 SOUTH TRYON STREET, SUITE 4000 CHARLOTTE, NC 28280-4000		000	. ART UNIT	PAPER NUMBER
ŀ			2155	
			MAIL DATE	DELIVERY MODE
			10/09/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



Commissioner for Patents United States Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450 www.uspto.gov

MAILED

OCT 0 9 2007

Technology Center 2100

BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Application Number: 09/693,481 Filing Date: October 20, 2000 Appellant(s): SHORT ET AL.

Chad L. Thorson For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed on 8/6/2007 appealing from the Office action mailed on 12/21/2006.

(1) Real Party in Interest

A statement identifying by name the real party in interest is contained in the brief.

(2) Related Appeals and Interferences

The examiner is not aware of any related appeals, interferences, or judicial proceedings which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

(3) Status of Claims

The statement of the status of claims contained in the brief is correct.

(4) Status of Amendments After Final

The appellant's statement of the status of amendments after final rejection contained in the brief is correct.

(5) Summary of Claimed Subject Matter

The summary of claimed subject matter contained in the brief is correct.

(6) Grounds of Rejection to be Reviewed on Appeal

The appellant's statement of the grounds of rejection to be reviewed on appeal is correct.

Art Unit: 2155

(7) Claims Appendix

The copy of the appealed claims contained in the Appendix to the brief is correct.

(8) Evidence Relied Upon

6,738,371	AYRES	5-2004
5,978,387	SHERMAN	11-1999
6,307,836	JONES et al.	10-2001
6,618,355	GULLIFORD et al.	9-2003
5,793,978	FOWLER	8-1998
6,310,886	BARTON	.10-2001

(9) Grounds of Rejection

The following ground(s) of rejection are applicable to the appealed claims:

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 28, 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ayres, US Patent Number 6,738,371, hereinafter Ayres, in views of Sherman, US Patent Number 5,978,387, hereinafter Sherman.

Art Unit: 2155

3. Referring to claim 28, Ayres has taught a method for dynamic control of data transfer by a subscriber during an on-going network session (Col 3 lines 25-31), comprising:

Page 4

- a. receiving a data packet at a gateway device (Col 5 lines 1-2, router 20 corresponds to the gateway device);
- b. identifying, at the gateway device (router 20), a subscriber (end user 24) associated with the data packet (Col 5 lines 1-10);
- c. retrieving from memory a subscriber profile (QOS customer profile 74) that includes subscriber-selected bandwidth (Figure 3, Col 8 lines 33-35, 38-44);
- d. determining if a transfer rate for data packet transmission should be adjusted based on the subscriber-selected bandwidth (Col 8 lines 33-37, rate adjustment is made based on info stored in the profile);
- e. determining if the transfer rate for the data packet transmission should be adjusted based on a priority of the data packet (Col 1 line 67-Col 2 line 3, each user account indicates a respective level of service priority and packet throughput bandwidth, and Col 8 lines 33-37);
- f. adjusting the transfer rate for data packet transmission based on outcome of the determination process (Col 9 lines 10-17);
- time based on adjustment of the subscriber-selected bandwidth (abstract, lines 4-6, Col 3 lines 26-30, dynamically adjusting the rate of packets, Col 8 lines 33-37, 56-60, rate adjustment are made based on customer QOS profile).

Ayres does not explicitly teach adjustable by a subscriber at anytime during the ongoing session based on adjustment of the subscriber-selected bandwidth during the ongoing network session.

However, Sherman teaches wherein the transfer rate for data packet transmission is adjustable by a subscriber at anytime during the on-going session based on adjustment of the subscriber-selected bandwidth during the on-going network session (Col 1 lines 62-64, Col 2 lines 11-54, Col 7 lines 27-30.)

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate the method for providing bandwidth that is dynamically adjustable to the end user's needs as taught by Sherman in Ayres such that to have Ayres' bandwidth to be adjustable by a subscriber at anytime during the on-going session based on adjustment of the subscriber-selected bandwidth during the on-going network session because both Ayres and Sherman teaches inventions relating to bandwidth allocation to end-users.

A person with ordinary skill in the art would have been motivated to make the modification to Ayres because Sherman provides a solution when end user cannot dynamically change the bandwidth in the connection to adjust carrying rates of data transmission (Col 1 lines 57-64), and this dynamic provisioning would ensure that the end user is charged to what is actually used (Col 1 lines 64-67.)

4. Referring to claim 33, Ayres has taught a method for dynamic control of data transfer by a subscriber during an on-going network session (Col 3 lines 25-31), comprising:

Application/Control Number: 09/693,481 Page 6

Art Unit: 2155

a. receiving a data packet at a gateway device (Col 5 lines 1-2, router 20 corresponds to the gateway device);

- b. identifying, at the gateway device (router 20), a subscriber (end user 24) associated with the data packet (Col 5 lines 1-10);
- c. performing a packet translation function to enable the subscriber to access any
 network without re-configuration of a host device of the subscriber (Col 4line 67Col 5 line 10, data packet are transferred among Internet and users without the
 need of reconfiguration of router);
- d. retrieving from memory a subscriber profile (QOS customer profile 74) that includes subscriber-selected bandwidth (Figure 3, Col 8 lines 33-35, 38-44);
- e. determining if a transfer rate for data packet transmission should be adjusted based on the subscriber-selected bandwidth (Col 8 lines 33-37, rate adjustment is made based on info stored in the profile);
- f. adjusting the transfer rate for data packet transmission based on outcome of the determination process (Col 9 lines 10-17);
- g. wherein the transfer rate for the data packet transmission may be adjusted at any time based on adjustment of the subscriber-selected bandwidth (abstract, lines 4-6, Col 3 lines 26-30, dynamically adjusting the rate of packets, Col 8 lines 33-37, 56-60, rate adjustment are made based on customer QOS profile).

Ayres does not explicitly teach adjustable by a subscriber at anytime during the ongoing session based on adjustment of the subscriber-selected bandwidth during the ongoing network session.

Art Unit: 2155

However, Sherman teaches wherein the transfer rate for data packet transmission is adjustable by a subscriber at anytime during the on-going session based on adjustment of the subscriber-selected bandwidth during the on-going network session (Col 1 lines 62-64, Col 2 lines 11-54, Col 7 lines 27-30.)

Page 7

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate the method for providing bandwidth that is dynamically adjustable to the end user's needs as taught by Sherman in Ayres such that to have Ayres' bandwidth to be adjustable by a subscriber at anytime during the on-going session based on adjustment of the subscriber-selected bandwidth during the on-going network session because both Ayres and Sherman teaches inventions relating to bandwidth allocation to end-users.

A person with ordinary skill in the art would have been motivated to make the modification to Ayres because Sherman provides a solution when end user cannot dynamically change the bandwidth in the connection to adjust carrying rates of data transmission (Col 1 lines 57-64), and this dynamic provisioning would ensure that the end user is charged to what is actually used (Col 1 lines 64-67.)

- 5. Claims 1, 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ayres, US Patent Number 6,738,371, hereinafter Ayres, in views of Sherman, US Patent Number 5,978,387, hereinafter Sherman, and in further views of Jones et al., US Patent Number 6,307,836, hereinafter Jones.
- 6. Referring to claim 1, Ayres has taught a method for dynamic control of data transfer by a subscriber during an on-going network session (Col 3 lines 25-31), comprising:

Art Unit: 2155

- a. receiving a data packet at a gateway device (Col 5 lines 1-2, router 20 corresponds to the gateway device);
- b. identifying, at the gateway device (router 20), a subscriber (end user 24) associated with the data packet (Col 5 lines 1-10);
- c. retrieving from memory a subscriber profile (QOS customer profile 74) that includes subscriber-selected bandwidth (Figure 3, Col 8 lines 33-35, 38-44);
- d. determining if a transfer rate for data packet transmission should be adjusted based on the subscriber-selected bandwidth (Col 8 lines 33-37, rate adjustment is made based on info stored in the profile);
- e. adjusting the transfer rate for data packet transmission based on outcome of the determination process (Col 9 lines 10-17);
- f. wherein the transfer rate for the data packet transmission may be adjusted at any time based on adjustment of the subscriber-selected bandwidth (abstract, lines 4-6, Col 3 lines 26-30, dynamically adjusting the rate of packets, Col 8 lines 33-37, 56-60, rate adjustment are made based on customer QOS profile).

Ayres does not explicitly teach adjustable by a subscriber at anytime during the ongoing session based on adjustment of the subscriber-selected bandwidth during the ongoing network session.

However, Sherman teaches wherein the transfer rate for data packet transmission is adjustable by a subscriber at anytime during the on-going session based on adjustment of the subscriber-selected bandwidth during the on-going network session (Col 1 lines 62-64, Col 2 lines 11-54, Col 7 lines 27-30.)

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate the method for providing bandwidth that is dynamically adjustable to the end user's needs as taught by Sherman in Ayres such that to have Ayres' bandwidth to be adjustable by a subscriber at anytime during the on-going session based on adjustment of the subscriber-selected bandwidth during the on-going network session because both Ayres and Sherman teaches inventions relating to bandwidth allocation to end-users.

A person with ordinary skill in the art would have been motivated to make the modification to Ayres because Sherman provides a solution when end user cannot dynamically change the bandwidth in the connection to adjust carrying rates of data transmission (Col 1 lines 57-64), and this dynamic provisioning would ensure that the end user is charged to what is actually used (Col 1 lines 64-67.)

Furthermore, Ayres does not teach a subscriber profile that includes a first subscriberselected bandwidth for information being sent to network and a second subscriber – selected bandwidth for information being retrieved from a network, the first and second subscriber-selected bandwidth being separate.

Jones teaches a subscriber service profile, which includes list of what services can be granted, and the desired upstream and downstream bandwidth selected by the subscriber (Col 9 lines 47-56, Col 4 lines 46-53).

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate the subscriber-selected upstream and downstream rate to be stored in the subscriber profile of Ayres, because Ayres teaches a system which

receives upstream data packets from a user and receives downstream data packets from the server (Col 5 lines 1-10) and Jones is providing an option for the subscriber to select the desired rate for the upstream and downstream data flow (Col 4 lines 46-53).

A person with ordinary skill in the art would have been motivated to make the modification to Ayres because having the subscriber-selected upstream and downstream rate stored in subscriber's service profile would provide user's desired service rate as taught by Jones (Col 4 lines 46-53).

7. Referring to claim 35, Ayres as modified teaches an invention as described in claim 33, and Ayres does not teach a subscriber profile that includes a first subscriber-selected bandwidth for information being sent to network and a second subscriber –selected bandwidth for information being retrieved from a network, the first and second subscriber-selected bandwidth being separate.

Jones teaches a subscriber service profile, which includes list of what services can be granted, and the desired upstream and downstream bandwidth selected by the subscriber (Col 9 lines 47-56, Col 4 lines 46-53).

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate the subscriber-selected upstream and downstream rate to be stored in the subscriber profile of Ayres, because Ayres teaches a system which receives upstream data packets from a user and receives downstream data packets from the server (Col 5 lines 1-10) and Jones is providing an option for the subscriber to select the desired rate for the upstream and downstream data flow (Col 4 lines 46-53).

Art Unit: 2155

A person with ordinary skill in the art would have been motivated to make the modification to Ayres because having the subscriber-selected upstream and downstream rate stored in subscriber's service profile would provide user's desired service rate as taught by Jones (Col 4 lines 46-53).

8. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ayres in views of Sherman and Jones and in further views of Gulliford et al., US Patent Number 6,618,355, hereinafter Gulliford.

Ayres as modified has taught an invention as described in claim 1, Ayres has taught the step of identifying, at the gateway device (router 20), a subscriber (end user 24) associated with the data packet (Col 5 lines 1-10);

Ayres does not explicitly teach the association of MAC address within the data packet.

However, Gulliford teaches a determination is made, when the switch receives a transmitted data packet, a physical address of a destination device (MAC address) is intended for a subscriber device (Col 12 lines 62-66.)

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate the association of MAC address with the data packet of Gulliford in Ayres such that to have Ayres' system to identify at the gateway device the subscriber associated with the data packet by the MAC address within the data packet because both Ayres and Gulliford have taught packets communicating within a network.

A person with ordinary skill in the art would have been motivated to make the modification to Ayres because having the MAC address would allow Ayres' system to be

Art Unit: 2155

aware of the physical address of a destination device as taught by Gulliford (Col 12 lines 32-66.)

9. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ayres in view of Sherman and Jones and in further views of Salkewicz, US Patent Number 6,609,153, hereinafter Salkewicz.

Ayres as modified has taught an invention as described in claim 1, including retrieving a subscriber selected bandwidth (Col 8 lines 33-35, 38-44). Ayres has not taught where the information is retrieved from the Authentication, Authorization and Accounting (AAA) subscriber management interface.

However, Salkewicz has taught the use of AAA to retrieve access control and identify the subscribers (Col 15 lines 13-27.)

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to modify the teaching of Ayres such that to have information retrieved from an AAA subscriber management interface, because both Ayres and Salkewicz have taught packet communication with network devices.

A person with ordinary skill in the art would have been motivated to make the modification to Ayres because having an AAA would allow a better security to be implemented in Fowler's system though the Authentication, Authorization and Accounting as taught by Salkewicz (Col 15 lines 13-27.)

10. Claim 8-11, 13, 29-32 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ayres in view of Sherman and/or Jones and in further views of Fowler, US Patent Number 5,793,978, hereinafter Fowler.

11. Referring to claim 8, 29 and 34, Ayres as modified has taught an invention as described

in claim 1, 28 and 33, and Ayres has taught the step of retrieving from memory a

subscriber profile (QOS customer profile 74) that includes subscriber-selected bandwidth

(Figure 3, Col 8 lines 33-35, 38-44) and the step of adjusting the transfer rate for data

packet transmission based on outcome of the determination process (Col 9 lines 10-17);

and Ayres has further taught the delay parameter (Col 6 lines 5-9).

Ayres as modified has not explicitly taught the limitation of delay period.

However, Fowler has taught the limitation of delay period (Fowler, Col 1 lines 49-52, delay period corresponds to the period of time that message is held until the selected amount of bandwidth become available.)

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to incorporate the delay period of Fowler in Ayres such that to have the step of determining a delay period for transmitting the packet, and the step of queuing the data packet for the delay period before transmitting the packet because both Ayres and Fowler have taught data packets in a communication network.

A person with ordinary skill in the art would have been motivated to make the modification to Ayres because having the delay period for data packet transfer would give a relief to when a significant amount of packets are attempting to be broadcast or transmitted at the same time as taught by Fowler (Col 1 lines 28-40.)

12. Referring to claim 9, Ayres as modified has further taught wherein the step of determining a delay period further comprises determining a delay period based upon a

byte size of the data packet (Fowler, Col 53-56, selected bandwidth is based on the packet bytes to be send in any one second period.)

- 13. Referring to claim 10, Ayres as modified has further taught wherein the step of determining a delay period further comprises determining a delay period based upon a byte size and a time lapse of a most recently transmitted data packet that was associated with the subscriber (Fowler, Col 1 lines 53-56, selected bandwidth is based on the packet bytes to be send in any one second period.)
- 14. Referring to claim 11, Ayres has taught about the delay period (Col 1 lines 48-52.) And it would have been obvious for a person with ordinary skill in the art to have the maximum delay period of 2 seconds, because a delay time could be set to a limit of any time interval including a maximum of 2 seconds.
- 15. Referring to claim 13, Ayres as modified has taught wherein the subscriber network session is a wireless network session (Fowler, Col 2 lines 63-67, broadcasting is known to be done either wirely or wirelessly.)
- 16. Referring to claim 30, Ayres as modified has taught the method of claim 29, the priority of the data packet is based on a content of the information in the data packet (Col 1 line 67 –Col 2 line 3).
- 17. Referring to claim 31, Ayres as modified has taught the method of claim 29, the priority of the data packet is based on a subscriber selected class of service (Col 3 lines 53-65, Col 10 lines 65-67).

Application/Control Number: 09/693,481 Page 15

Art Unit: 2155

18. Referring to claim 32, Ayres as modified has taught the method of claim 29, the priority of the data packet is based on a subscriber selected reservation of a bandwidth block (Col 3 lines 53-65, Col 10 lines 65-67).

19. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ayres in views of Sherman and Fowler and in further views of Barton, US Patent Number 6,310,886, hereinafter Barton. Ayres as modified has not taught, the step of queuing the data packet using a ring buffer. However, Barton has taught the use of ring buffer for queuing the data packet (Col 8 lines 1-3).

It would have been obvious to a person with ordinary skill in the art at the time the invention was made to modify the teaching of Ayres as modified such that to have a ring buffer for queuing the data packet, because both Ayres as modified and Barton has taught packet communication in a network environment.

A person with ordinary skill in the art would have been motivated to make the modification to Ayres because having the ring buffer algorithm used for queuing packets to be sent through is well known and recognized by the practitioners skilled in the art as taught by Barton (Col 7 line 67- Col 8 line 3.)

(10) Response to Argument

Appellant argues, Ayres and Sherman fails to teach or suggest retrieving from
memory a subscriber profile that includes a first subscriber-selected bandwidth for
information being sent to network and a second subscriber –selected bandwidth
for information being retrieved from a network, the first and second subscriber-

Art Unit: 2155

selected bandwidth being separate. In particular, appellant argues the cites passage of Jones lacks any disclosure at all regarding two subscriber-selected bandwidths. Instead, the cited passage merely describes that users select via a subscriber interface device, a variable numbers of upstream and downstream bearer channels from the network. There is no mention of the bandwidths of these channels, much less that the bandwidths of these channels may be separate and subscriber-selected. And there is no disclosure in Jones regarding separate bandwidths for the upstream and downstream data channel.

In response to appellant's argument, Ayres teaches a subscriber profile with subscriber-selected bandwidth (Figure 3, Col 8 lines 33-35, 38-44), and Jones suggests there are two subscriber-selected bandwidths, and the two subscriber-selected bandwidth being separate (Col 4 lines 46-53). As appellant indicated, the cited passage describes that users select via a subscriber interface device, a variable numbers of upstream and downstream bearer channels from the network. However, Ayres states that the upstream communication is accomplished over upstream channels 122 with a data upstream channels of bandwidth and downstream communication is facilitated over downstream channels 124 with a data down stream channels of bandwidth (Col 7 lines 55-60). Therefore the upstream and downstream bearer channels from the network, each represents an upstream bandwidth and a downstream bandwidth.

2. Appellant argues, Ayres does not teach determining if the transfer rate for data packet transmission should be adjusted based on a priority of the data packet as recited in independent claim 28.

In response to appellant's argument, Ayres teaches in Col 8 lines 33-37, that transmission rate would be adjusted based on the user profile, and in Col 1 line 67-Col 2 line 4, Ayres indicates, each user profile (customer account) is associated with a respective level of service priority, so the subscriber with the higher service priority would have a priority on the data packets from his/her transmission.

3. Appellant argues, Ayres fails to teach performing a packet translation function to enable the subscriber to access any network without re-configuration of a host device of the subscriber.

In response to appellant's argument, Ayres teaches in Col 4 line 67- Col 5 line 10, data packet are transferred among Internet and users without the need of re-configuration of router, and routing data packet via a router corresponds to "performing a packet translation function". Normal operation of data routing does not require the re-configuration of a router, and so is the re-configuration of the host device unless otherwise indicated a necessary re-configuration.

4. Appellant argues, The cited passage only refers to a maximum number of broadcast bytes to be sent in any one second period and fails to provide any mention of a time lapse of a most recently transmitted data packet that was associated with the subscriber as recite in claim 10.

In response to appellant's argument, the Examiner agrees with the appellant, claims 10 should be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

(11) Related Proceeding(s) Appendix

No decision rendered by a court or the Board is identified by the examiner in the Related Appeals and Interferences section of this examiner's answer.

For the above reasons, it is believed that the rejections should be sustained.

Respectfully submitted,

Liangche Alex Wang

ぱい

September 25, 2007

Conferees:

Saleh Najjar

SUPERVISORY PATENT EXAMINER

Supervisory Examiner, Art Unit 2155

Technology Center 2100

nne Browne

Appeal Practice Specialist, TQAS

Technology Center 2100